


KAJ[®]

kajworld.com

Email : info@kajworld.com

CATCH BASIN INLET





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets



5346 CATCH BASIN INLET

Heavy duty

Accepts 5345 grates

With TYPE M2 grate

Approximate 360 sq. in.
open area

Options:

9 1/2" height frame – 5345

9 1/2" height frame double inlet – 5350



TYPE M1 Flat Grate

Approx. 275 sq. in. open area

5352 CATCH BASIN INLET



Heavy duty

Approximate 262 sq. in.
open area

Options:


Special lettered grates

"DUMP NO WASTE!"

lettering and fish logo

Uses 5353 hood and frame

Uses 7080 hood and frame



5250 CATCH BASIN INLET



Heavy duty

"DUMP NO WASTE!" lettering and fish image

Approximate 262 sq. in. open area

Stack able frame

Options:

8" height frame – 5235

4" height frame – V-5622

ADA grate – V-5622-80

Solid cover – V-6622





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets



V-5324-1 FRAME & GRATE

Heavy duty


Approximate 360 sq. in. open area

Options:

Accepts 5424 ADA grate

Accepts 5344 vane grate

2 1/2" height frame – 5424




5334 CATCH BASIN INLET



Heavy duty

"DUMP NO WASTE!" lettering and fish images

Approximate 360 sq. in. open area, per grate



5236 CATCH BASIN INLET



Heavy duty

Accepts 5250 grate

Approximate 440 sq. in. open area

Bolted frame



KAJ[®]

kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5240 CATCH BASIN INLET



Heavy duty

"DUMP NO WASTE!" lettering and fish image

Approximate 510 sq. in. open area



5245 CATCH BASIN INLET



Heavy duty

"DUMP NO WASTE!" lettering and fish image

Approximate 210 sq. in. open area

Options:

Accepts 7030 grates



5216 CATCH BASIN INLET



Heavy duty

Ductile iron

"DUMP NO WASTE!" lettering and fish image


Options:

M1 grate approximate

323 sq. in. open area

M2 grate approximate

238 sq. in. open area





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5230 CATCH BASIN INLET



Heavy duty
Approximate 300 sq. in.
open area



5235 CATCH BASIN INLET



Heavy duty
Accepts 5250 grate
Approximate 220 sq. in. open area
Ductile iron safety bar

Options:
6" height frame — 5250
4" height frame — V-5622
ADA grate — V-5622-80
Solid cover — V-6622



5250M
"DUMP NO WASTE!"
Lettering and fish image

V-5622-80 ADA compliant
Approx. 156 sq. in. open area
"DUMP NO WASTE!"
Lettering and fish image

5115 CATCH BASIN INLET




Heavy duty
With TYPE M2 —
"DUMP NO WASTE!" lettering
and fish image
Approximate 300 sq. in. open area
5116 frame accepts 5115 grates

Options:
Ductile iron grate — TYPE M3



Type M1 Medium duty Flat Grate
Approx. 390 sq. in. open area
2 1/2" x 7 1/2" grate openings



5115 frame

5116 frame & cover



kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5110 CATCH BASIN INLET



Light duty flat grate (Non-traffic)

TYPE M1 grate – “DUMP NO WASTE!” lettering

Approximate 360 sq. in. open area

Options:

Adjusting risers

Heavy duty grates

Medium duty grates



TYPE M2 Medium duty
Flat Grate

Approx. 340sq. in. open area
“DUMP NO WASTE!” lettering

TYPE M4 Medium duty
Flat Grate

Approx. 295 sq. in. open area
“DUMP NO WASTE!” lettering

TYPE M3 Heavy duty
Sinusoidal Grate

Approx. 300 sq. in. open area
“DUMP NO WASTE!” lettering

TYPE M5 Heavy duty
ADA Grate


Approx. 150 sq. in.
open area

5114 FRAME & GRATE



Medium duty

Approximate 482 sq. in. open area





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5050 CATCH BASIN INLET



Light duty (Non-traffic)

Approximate 245 sq. in. open area




5055 FRAME & GRATE



Heavy duty

Approximate 282 sq. in. open area



Illustrating V-5055-1
Approx. 280 sq. in.
open area

5080 CATCH BASIN INLET



Heavy duty

Round base inlet

Accepts 5000 grates and covers

With TYPE M 1 flat grate

Approximate 160 sq. in. open area

Options:

4" height stack able frame





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5385 CATCH BASIN INLET



Heavy duty

Approximate 280 sq. in. open area



5390 CATCH BASIN INLET



Heavy duty

Approximate 890 sq. in. open area

1 piece frame with 2 grates



5395 CATCH BASIN INLET




Heavy duty

With TYPE M1 grate

Approximate 260 sq. in. open area

Options:

Adjusting risers



TYPE M2 Flat Grate
Approx. 260 sq. in. open area
Depressed cross bars



kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5417 CATCH BASIN INLET



Heavy duty
Double inlet 5416
With TYPE M2 grate
Approximate 1040 sq. in. open area
Uses 5416 grates



5418 CATCH BASIN INLET




Heavy duty
With TYPE M2 grate
Double inlet - without rear flange
Approximate 1040 sq. in. open area
Uses 5416 grates



5419 CATCH BASIN INLET



Heavy duty
"DUMP NO WASTE!" lettering
and fish image
Approximate 329 sq. in.
open area





kajworld.com
Email : info@kajworld.com

Catch Basin Inlets

5420 CATCH BASIN INLET GRATE



Heavy duty
Approximate 335 sq. in. open area
Steel frame available


EJIW recommends the
use of steel or iron frames
providing support to
entire bearing surface

5421 CATCH BASIN INLET GRATE



Heavy duty
Approximate 270 sq. in. open area
Steel frame available


EJIW recommends the
use of steel or iron frames
providing support to
entire bearing surface



5424 CATCH BASIN INLET



Heavy duty
Approximate 122 sq. in. open area
ADA approved





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

5425 CATCH BASIN INLET




Heavy duty, double inlet
Approximate. 440 sq. in. open area
Bolted assembly: frame is
2 pieces, bolted together
Grate available in gray and ductile iron



5450 CATCH BASIN INLET



Heavy duty
Approximate 335 sq. in.
open area per grate




V-5934-1 GRATE



Heavy duty
Approximate 451 sq. in. open area
34" square grate for precast

EJIW recommends the
use of steel or iron frames
providing support to
entire bearing surface





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

V-5935 GRATE



Heavy duty

Approximate 517 sq. in. open area

EJIW recommends the use of steel or iron frames providing support to entire bearing surface



7350 CATCH BASIN CURB INLET




Heavy duty

With TYPE M2 diagonal bar grate

Approximate 195 sq. in. open area

Specify I-beam if required

7350 T1 Back
"DUMP NO WASTE!"
lettering and
fish image



TYPE M3 Grate
Approx. 212 sq. in.
open area



TYPE M4 Grate
"DUMP NO WASTE!"
Approx. 229 sq. in.
open area.



TYPE M5 ADA Grate
"DUMP NO WASTE!"
104 sq. in. open area

Catch Basin Inlets

7592 CATCH BASIN INLET



Heavy duty
With two 7590 TYPE M grate
Approximate 830 sq. in. open area
Uses 7590 grates

Options:
Adjusting risers
7590M2 ADA grate
7590 TYPE M1 grate

TYPE M1 Grate
Approx. 338 sq. in.
open area




TYPE M2 ADA Grate
Heavy duty
Approx. 244 sq.
in. open area

7535 CATCH BASIN CURB INLET



Heavy duty
Approximate 220 sq. in. open area
Designed for use along barrier wall
Unit has ductile iron safety bar
Double unit available — 7536





kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

7467 CATCH BASIN CURB INLET



Heavy duty
With 7466 TYPE M2 grate
Approximate 225 sq. in. open area

Options:
Four flange frame — 7466
Ductile iron safety bar



TYPE M1 Grate
Approx. 215 sq. in.
open area

7582 CATCH BASIN INLET



Heavy duty
With 7570 TYPE M1 grate
Approximate 190 sq. in.
open area
Uses 7570 grates

Options:
Frame with full flange
Frame with 36" dia. full
flange and cut flange





kajworld.com
Email : info@kajworld.com

Catch Basin Inlets

7585 CATCH BASIN INLET



Heavy duty
With TYPE M grate
Approximate 575 sq. in. open area

Options:
Extra heavy duty airport




7591 CATCH BASIN INLET



Heavy duty
7590 TYPE M grate and T8 back
Approximate 415 sq. in. open area
Uses 7590 grates and backs

Options:
7590M2 ADA grate
7590 TYPE M1 grate



T8 Back

Back Type	Back Height
T5	curb inlet
T6	4
T7, T11	6
T8, T12	8
T9	10

Note: All dimensions are in inches.



kajworld.com


Email : info@kajworld.com

Catch Basin Inlets

7536 CATCH BASIN CURB INLET



Heavy duty
Multiple curb inlet
Uses the 5425M2 grate
Approximate 110 sq. in. open area



Illustrating safety bars

7593 CATCH BASIN INLET



Heavy duty
With 7590 TYPE M grate
Approximate 415 sq. in. open area
Uses 7590 grates

Options:
Adjusting risers
7590M2 ADA grate
7590 TYPE M1 grate



KAJ[®]

kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

7351 CATCH BASIN CURB INLET



Heavy duty

Double Inlet shown with



7350 TYPE2 diagonal grate

Approximate 195 sq. in. open area

Accepts 7350 grates and backs

Specify I-beam if required

Single frame available



7466 CATCH BASIN CURB INLET



Heavy duty

Specify type grate



TYPE M1 grate

Approximate 215 sq. in.

open area

Specify if ductile iron safety

bar required



TYPE M2 Grate
Approx. 225 sq. in.
open area



kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

7595 INLET FRAME & GRATE



Heavy duty
Approximate 415 sq. in.
open area

Options:
ADA grate
9" height frame — 7595Z1
"DUMP NO WASTE!" lettering
Scupper frame with bolt holes



7595M2 ADA grate
Approx. 244 sq. in. open area

Catch Basin Inlets

7600 CATCH BASIN SERIES, A-D

Options:

4, 6" mountable & 6, 8" barrier curbs



Oklahoma
Type B right frame



Oklahoma
Type C frame



Oklahoma
Type D frame



kajworld.com

Email : info@kajworld.com

Catch Basin Inlets

7600 CATCH BASIN SERIES, A-D

Options:

4, 6" mountable & 6, 8" barrier curbs



Oklahoma
Type A frame



Oklahoma
Type B left frame



kajworld.com

Email : info@kajworld.com


Catch Basin Inlets

7770 CATCH BASIN



Heavy duty

Machined bearing surfaces




7775 CURB & GUTTER INLET



Heavy duty

Bolted assembly

Approximate 260 sq. in. open area




7780 CATCH BASIN



Light duty (Non-traffic)

Approximate 163 sq. in. open area





kajworld.com
Email : info@kajworld.com


Catch Basin Inlets

7715 CATCH BASIN INLET



Heavy duty
Uses 7700 series grates

Options:
Special lettering
Adjusting risers



7720 FRAME & GRATE



Light duty
Approximate 100 sq. in. open area

Options:
Plain cover, drain lettering
Bolted assembly





Plain Cover

7737 CATCH BASIN



Heavy duty
Shown with TYPE M2 grate
Approximate 167 sq. in.
open area

Options:
Solid covers
Vane grate



TYPE M1 Grate
Approx. 167 sq. in.
open area



Solid cover